

Safety Data Sheet

Silverwax 20

SECTION 1. IDENTIFICATION

Product Identifier Silverwax 20

Other Means of Identification

Super Strength Degreaser

Product Family Degreaser

Recommended Use All purpose cleaner.

Manufacturer Laboratoire Hygienex Inc.

6400 Zéphirin-Paquet Québec, Québec, G2C-0M3

(418) 522-2332 www.hygienex.com

Emergency Phone No. CANUTEC, (613) 996-6666

SDS No. 20

SECTION 2. HAZARD IDENTIFICATION

Classified according to Canada's Hazardous Products Regulations (WHMIS 2015).

Classification

Corrosive to metals - Category 1; Acute toxicity (Oral) - Category 5; Acute toxicity (Dermal) - Category 5; Skin corrosion - Category 1; Serious eye damage - Category 1; Skin sensitization - Category 1B; Aquatic hazard (Acute) - Category 3; Aquatic hazard (Chronic) - Category 3

Label Elements





Signal Word:

Danger

Hazard Statement(s):

H290 May be corrosive to metals.

H303 + H313 + H333 May be harmful if swallowed, in contact with skin or if inhaled.

H317 May cause an allergic skin reaction.

Precautionary Statement(s):

Prevention:

P260 Do not breathe dusts or mists.

P264 Wash hands and skin thoroughly after handling.

P273 Avoid release to the environment.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

Response:

P301 + P330 + P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or

shower.

P304 + P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

Product Identifier: Silverwax 20 - Ver. 1 SDS No.: 20

Date of Preparation: décembre 19, 2017

Date of Last Revision: décembre 19, 2017 Page 01 of 07

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P312 Call a POISON CENTRE or doctor if you feel unwell.

Storage:

P406 Store in corrosion resistant container with a resistant inner liner.

Disposal:

P501 Dispose of contents and container in accordance with local, regional, national and international

regulations.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Mixture:

| Chemical Name | CAS No. | % | Other Identifiers | Other Names |
|--|------------|---------|-------------------|----------------|
| Sodium xylenesulfonate | 1300-72-7 | 1-5 | Not Applicable | Not Applicable |
| Alcohols, C9-11, ethoxylated, liquids | 68439-46-3 | 0.5-1.5 | Not Applicable | Not Applicable |
| 2-Butoxyethanol | 111-76-2 | 1-5 | Not Applicable | Not Applicable |
| Diethylene glycol monobutyl ether | 112-34-5 | 1-5 | Not Applicable | Not Applicable |
| Éthylène Diamine Tétra-Acétique | 60-00-4 | 0.1-1 | Not Applicable | Not Applicable |
| Benzenesulfonic acid, C10-16-alkyl derivs. | 68584-22-5 | 1-5 | Not Applicable | Not Applicable |
| Sodium Metasilicate | 6834-92-0 | 5-10 | Not Applicable | Not Applicable |

SECTION 4. FIRST-AID MEASURES

First-aid Measures

Inhalation

Move to fresh air. Keep at rest in a position comfortable for breathing. Get medical advice or attention if you feel unwell or are concerned.

Skin Contact

Avoid direct contact. Wear chemical protective clothing if necessary. Take off contaminated clothing, shoes and leather goods (e.g. watchbands, belts). Get medical advice or attention if you feel unwell or are concerned. Wash with plenty of water.

Eve Contact

Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Take care not to rinse contaminated water into the unaffected eye or onto the face. If eye irritation persists, get medical advice or attention.

Ingestion

Rinse mouth with water. Never give anything by mouth if person is rapidly losing consciousness, or is unconscious or convulsing. Do not induce vomiting. If vomiting occurs naturally, lie on your side in the recovery position. Rinse mouth with water again. Get medical advice or attention if you feel unwell or are concerned.

SECTION 5. FIRE-FIGHTING MEASURES

Extinguishing Media

Suitable Extinguishing Media

Dry chemical, water, foam, carbon dioxide (CO2).

Specific Hazards Arising from the Product

Heating increases the release of toxic vapour.

Special Protective Equipment and Precautions for Fire-fighters

As in any fire incident case, wear a powered air purifying respirator, MSHA/NIOSH (Approved or equivalent) and a complete protective suit. wear self-contained breathing apparatus for firefighting if necessary.

Product Identifier: Silverwax 20 - Ver. 1 SDS No.: 20

Date of Preparation: décembre 19, 2017

Date of Last Revision: décembre 19, 2017 Page 02 of 07

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal Precautions, Protective Equipment, and Emergency Procedures

Use the personal protective equipment recommended in Section 8 of this safety data sheet. Remove or isolate incompatible materials as well as other hazardous materials. May collect in hazardous amounts, at ceilings and at the top of confined spaces, if ventilation is not sufficient.

Environmental Precautions

It is good practice to prevent releases into the environment. Do not allow into any sewer, on the ground or into any waterway.

Methods and Materials for Containment and Cleaning Up

Review Section 7 (Handling) of this safety data sheet before proceeding with clean-up. Contain and soak up spill with absorbent that does not react with spilled product. Place used absorbent into suitable, covered, labelled containers for disposal. Large spills or leaks: flush spill area.

SECTION 7. HANDLING AND STORAGE

Precautions for Safe Handling

Obtain special instructions before use. Do not breathe in this product. Avoid breathing in this product. Do not get in eyes, on skin or on clothing. Do not swallow. Only use where there is adequate ventilation. Avoid generating vapours or mists. Avoid release to the environment. If product is transferred to another container, ensure new container is suitable for the product. Prevent accidental contact with incompatible chemicals. Use corrosion-resistant tools and equipment. See Section 10 (Stability and Reactivity) for suitable materials. Never add water to a corrosive. Always add corrosives slowly to COLD water. See Section 13 (Disposal Considerations) of this safety data sheet.

Conditions for Safe Storage

Store in an area that is: cool, well-ventilated, separate from incompatible materials (see Section 10: Stability and Reactivity). Store in corrosive resistant container with a resistant inner liner. Comply with all applicable health and safety regulations, fire and building codes.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control Parameters

| Chemical Name | ACGIH | ACGIH TLV® | | OSHA PEL | | AIHA WEEL | |
|-----------------|--------|------------|--------|----------|----------|-----------|--|
| | TWA | STEL | TWA | Ceiling | 8-hr TWA | TWA | |
| 2-Butoxyethanol | 20 ppm | | 25 ppm | - | | | |

Appropriate Engineering Controls

Provide eyewash in work area, if contact or splash hazard exists. Do not allow product to accumulate in the air in work or storage areas, or in confined spaces. Use local exhaust ventilation, if general ventilation is not adequate to control amount in the air.

Individual Protection Measures

Eye/Face Protection

Wear chemical safety goggles and face shield when contact is possible.

Skin Protection

Wear chemical protective clothing e.g. gloves, aprons, boots. Wear a chemical splash suit and respiratory protection.

Respiratory Protection

Use respiratory protection unless adequate local exhaust ventilation is provided or exposure assessment demonstrates that exposures are within recommended exposure guidelines.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Basic Physical and Chemical Properties

Appearance Clear green. Particle Size: Not applicable

Product Identifier: Silverwax 20 - Ver. 1 SDS No.: 20

Date of Preparation: décembre 19, 2017

Date of Last Revision: décembre 19, 2017 Page 03 of 07

OdourPeppermintOdour ThresholdNot applicable

pH 13.9

Melting Point/Freezing Point Not applicable (melting); Not available (freezing)

Initial Boiling Point/RangeNot availableFlash PointNot applicableEvaporation RateNot applicableFlammability (solid, gas)Not applicable

Upper/Lower Flammability or

Explosive Limit

Not applicable (upper); Not applicable (lower)

Vapour Pressure Not applicable
Vapour Density (air = 1) Not applicable

Relative Density (water = 1) 1.1

Solubility Very soluble in water; Not applicable (in other liquids)

Partition Coefficient, Not applicable

n-Octanol/Water (Log Kow)

Auto-ignition TemperatureNot applicableDecomposition TemperatureNot available

Viscosity Not available (kinematic); Not available (dynamic)

Other Information

Physical State Liquid

Molecular Formula Not applicable Molecular Weight Not applicable **Bulk Density** Not applicable **Surface Tension** Not applicable **Critical Temperature** Not applicable **Electrical Conductivity** Not applicable Vapour Pressure at 50 deg C Not applicable **Saturated Vapour Concentration** Not applicable

SECTION 10. STABILITY AND REACTIVITY

Reactivity

Not reactive under normal conditions of use.

Chemical Stability

Normally stable.

Possibility of Hazardous Reactions

Acidic conditions (low pH).

Incompatible Materials

Metals (e.g. aluminum), organic acids (e.g. acetic acid), inorganic acids (e.g. hydrofluoric acid).

SECTION 11. TOXICOLOGICAL INFORMATION

Acute Toxicity

| Chemical Name | LC50 | LD50 (oral) | LD50 (dermal) |
|------------------------------------|------|------------------|---------------------|
| Éthylène Diamine Tétra-Acétique | | 3030 mg/kg (rat) | 5000 mg/kg (rabbit) |

Product Identifier: Silverwax 20 - Ver. 1 SDS No.: 20

Date of Preparation: décembre 19, 2017

Date of Last Revision: décembre 19, 2017 Page 04 of 07

| Sodium Metasilicate | 2.06 mg/kg (rat) | 857 mg/kg (rat) | 5000 mg/kg (rat) |
|---------------------------------------|---------------------------------|---------------------|---------------------|
| Diethylene glycol monobutyl ether | | 5000 mg/kg (rat) | 2764 mg/kg (rabbit) |
| 2-Butoxyethanol | 925 ppm (rat) (4-hour exposure) | 320 mg/kg (rabbit) | 300 mg/kg (rabbit) |
| Alcohols, C9-11, ethoxylated, liquids | | 3000 mg/kg (rabbit) | 2000 mg/kg (rat) |
| Sodium xylenesulfonate | | 7200 mg/kg (rat) | 2000 mg/kg (rabbit) |

Oral ATEmix = 4523.08 mg/kg

0% of the mixture consists of an ingredient or ingredients of unknown acute toxicity (oral)

Dermal ATEmix = 6579.99 mg/kg

7.5% of the mixture consists of an ingredient or ingredients of unknown acute toxicity (dermal)

Skin Corrosion/Irritation

Repeated or prolonged exposure can irritate or burn the skin. Symptoms include slight redness and swelling.

Serious Eye Damage/Irritation

May irritate or burn the eyes. Permanent damage including blindness may result.

STOT (Specific Target Organ Toxicity) - Single Exposure

Inhalation

May be toxic by inhalation.

Skin Absorption

This product is absorbed by the respiratory tract and the digestive tract.

Ingestion

No information was located.

Aspiration Hazard

No information was located.

STOT (Specific Target Organ Toxicity) - Repeated Exposure

Conclusions cannot be drawn from the limited studies available.

Respiratory and/or Skin Sensitization

Skin sensitizer. No information was located for respiratory sensitization.

Carcinogenicity

Not known to cause cancer. Conclusions cannot be drawn from the limited studies available.

Reproductive Toxicity

Development of Offspring

No information was located.

Sexual Function and Fertility

No information was located.

Effects on or via Lactation

No information was located.

Germ Cell Mutagenicity

No information was located.

Interactive Effects

No information was located.

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Acute Aquatic Toxicity

Product Identifier: Silverwax 20 - Ver. 1 SDS No.: 20

Date of Preparation: décembre 19, 2017

Date of Last Revision: décembre 19, 2017 Page 05 of 07

| Chemical Name | LC50 Fish | EC50 Crustacea | ErC50 Aquatic Plants | ErC50 Algae |
|--|---|---|----------------------|---|
| Sodium Metasilicate | 2320 (96-hour) | | | |
| Diethylene glycol monobutyl ether | 2400 mg/L (Lepomis macrochirus (bluegill); 48-hour; static) | 100 mg/L (Daphnia magna (water flea); 48-hour) | | |
| 2-Butoxyethanol | 1474 mg/L (Oncorhynchus mykiss (rainbow trout)) | | | 1840 mg/L (Daphnia magna (water flea)) |
| Alcohols, C9-11, ethoxylated, liquids | 5-10 mg/L (96-hour) | 5-10 mg/L (48-hour) | | 10-100 mg/L (Desmodesmus subspicatus (algae); 72-hour) |
| Sodium xylenesulfonate | 1000 mg/L (96-hour) | 1000 mg/L (Daphnia pulex (water flea); 48-hour) | | 230 mg/kg mg/L (72-hour) |

Persistence and Degradability

No ingredient of this product or its degradation products is known to be highly persistent.

Bioaccumulative Potential

This product and its degradation products are not known to bioaccumulate.

Mobility in Soil

No information was located.

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal Methods

Dispose of contents and container in accordance with local, regional, national and international regulations. Store product for disposal as described under Storage in Section 7 of this safety data sheet.

SECTION 14. TRANSPORT INFORMATION

| Regulation | UN No. | Proper Shipping Name | Transport Hazard Class(es) | Packing Group |
|--------------|--------|---|-------------------------------|------------------|
| Canadian TDG | 3266 | LIQUIDE INORGANIQUE CORROSIF, BASIQUE, N.S.A. (Sodium Metasilicate) | Classe 8 | Ш |

Special Precautions Not applicable

Transport in Bulk According to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

SECTION 15. REGULATORY INFORMATION

Safety, Health and Environmental Regulations Custom Regulatory 1

Europe:

European Inventory of Existing Commercial Chemical Substances (EINECS): Yes. Europpean List of Notified Chemical Substances (ELINCS): No.

SECTION 16. OTHER INFORMATION

Product Identifier: Silverwax 20 - Ver. 1 SDS No.: 20

Date of Preparation: décembre 19, 2017

Date of Last Revision: décembre 19, 2017 Page 06 of 07

Date of Preparation décembre 19, 2017 **Date of Last Revision** décembre 19, 2017

Key to Abbreviations CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

References Https://echa.europa.eu/fr/

http://www.csst.qc.ca/Pages/index.aspx. Security data sheets of the suppliers.

Additional Information The preceding indications are based on our current knowledge but do not represent a guaranty

in terms of the product's proprieties and do not establish a legally valid contractual relationship. The manipulation and use conditions of the product go beyond the rep's control. It is the user's responsibility to evaluate all available information before using the product, no matter the type

of use, and to respect all local, provincial and federal legislations and laws.

Product Identifier: Silverwax 20 - Ver. 1 SDS No.: 20

Date of Preparation: décembre 19, 2017

Date of Last Revision: décembre 19, 2017 Page 07 of 07